Predefined Rules

Here you can toggle and adjust a few general instructions for the AI. This process automatically generates its own fuzzy rules.

▼ Predefined Rules		?
Auto Move Rest On Location	▼ ▼	
Preferable Distance:	Very Close	
Move Frequency:		
Auto Jump	✓	
Jump Back Frequency:		1
Jump Straight Frequency:		
Jump Forward Frequency:		
Auto Attack	✓	
Use Range Filters	\checkmark	
Attack Frequency:		
Auto Block	✓	
Use Hit Type Filters	\checkmark	
Stand Block Accuracy:		
Crouch Block Accuracy:		
Jump Block Frequency:		0
► Generated Fuzzy Rules		

Movement

Auto Move: Toggle to make the AI move on its own until it reaches its desired position.

Rest On Location: If toggled, the character will try to remain still when it reaches its destination.

Preferable Distance: The destination to which the character will want to move to. The further they are from the target, the higher is the desirability to move.

Move Frequency: On a scale from 0 to 6 (in correlation with the desirability options), how much priority should the AI decide to move.

Jump

Auto Jump: Toggle to make the AI jump on occasions. If Auto Move is toggled on, the AI decision to

jump may be affected by the preferable distance chosen.

Jump Back Frequency: How often should the Al jump back.

Jump Straight Frequency: How often should the AI jump straight (this decision is not affected by preferable distance).

Jump Forward Frequency: How often should the AI jump forward.

Attack

Auto Attack: Toggle to make the AI attempt to play moves. If *Auto Move* is toggled on, the AI decision to attack may be affected by the preferable distance chosen.

Use Range Filters: When enabled, the AI will prioritize moves with range that match the distance they are in. Example: If you have a fireball with A.I. Definitions \rightarrow Range: Far, the AI will prioritize that move over others if they are far from the opponent.

Attack Frequency: How often should the AI attempt to play a move.

Block

Auto Block: Toggle to make the AI attempt to block moves. Blocking will be attempted as soon as the opponent begins executing a move, and will end as soon as it begin the *recovery frames*.

Use Hit Type Filters: If enabled, the AI will attempt to read A.I. Definitions \rightarrow Hit Type from the opponent's move to determine if they should block high or low. If this option is toggled off the AI will attempt high or low based solo on the frequency set below.

Stand Block Accuracy/Frequency: How often should the AI attempt to block standing.

Crouch Block Accuracy/Frequency: How often should the AI attempt to block low attacks.

Jump Block Frequency: How often should the AI attempt to block while jumping.

Code access:

UFE.config.player1Character.physics

Code example 1:

```
void OnHit(HitBox strokeHitBox, MoveInfo move, CharacterInfo hitter){
    if (hitter == UFE.config.player1Character){
        if (UFE.config.player2Character.characterName == "Shozo Iizuka") {
```

```
UFE.config.player2Character.physics.weight = 175;
```

} }

Code example 2:

}

```
void OnMove(MoveInfo move, CharacterInfo player){
    if (move.moveName == "oil up"){
        player.physics.friction = 10;
    }
}
```

< Back to Character Editor

From: http://ufe3d.com/ - Universal Fighting Engine

Permanent link: http://ufe3d.com/doku.php/ai:predefinedrules?rev=1413362685



Last update: 2014/10/15 04:44