


Mecanim Control

Your ultimate solution for Mecanim based games!



Mecanim Control is a coding tool made that allow for a wider variety of common methods used by the [Animation component](#) with Mecanim (Humanoid/Generic) animations. It allows you to not only dynamically load any animation clip during runtime, but also tap into several methods currently missing in this magnificent system.

Mecanim Control is a sub-tool of [Universal Fighting Engine](#). Its source code is available entirely free in the **Source** version of UFE.

Overview

You can use MecanimControl much like you would use the animation component.

To play a simple animation use `MecanimControl.Play`

To cross-fade between animations use `MecanimControl.CrossFade` -or- one of the `MecanimControl.Play` alternatives.

To change how animations wrap (Loop, Once, PingPong) change the WrapMode of the respective AnimationClips in their import settings, or use `MecanimControl.SetWrapMode` to change it at runtime. `AnimationData` can be used to modify the clip, playback speed, and direct control over blending.

MecanimControl also supports enumerators so you can loop through all `AnimationData` like this:

```
using UnityEngine;
using System.Collections;

public class AnimationControlDemo : MonoBehaviour {

    private MecanimControl mecanimControl;

    void Start () {
        mecanimControl = gameObject.GetComponent<MecanimControl>();
```


```

}

void OnGUI(){
    foreach(AnimationData animationData in mecanimControl.animations){
        if (GUILayout.Button(animationData.clipName)){
            mecanimControl.Play(animationData, mirror);
        }
    }
}

```

Public Variables



Index:

- [Default Animation](#)
- [Animations](#)
- [Debug Mode](#)
- [Always Play](#)
- [Default Transition Duration](#)
- [Default Wrap Mode](#)

[defaultanimation](#) **Default Animation**

AnimationData *defaultAnimation*;

By default, if no order is given, the animator will play the animation stored in this AnimationData.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.defaultAnimationData.speed = .5f;
}
```

animations Animations

AnimationData[] *animations*;

The array containing all the AnimationData stored by either the UI or by using AddClip.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    foreach(AnimationData animationData in mecanimControl.animations) {
        animationData.speed = .5f;
    }
}
```

debugmode Debug Mode

bool *debugMode*;

Toggles a GUI box containing all the information about the current clip playing as well as its blending weight.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.debugMode = true;
}
```

alwaysplay Always Play

bool *alwaysPlay*;

If an animation is set to *WrapMode.Once* and *alwaysPlay* is toggled on, after the clip ends it will immediately play the *default animation*.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.alwaysPlay = true;
}
```

defaulttransitionduration Default Transition Duration

float *defaultTransitionDuration*;

If an animation has its blending speed set to 0, it will use this value instead.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.defaultTransitionDuration = .2f;
```

{}

defaultwrapmode Default Wrap Mode

float *defaultWrapMode*;

If an animation has its *wrapmode* set to *default*, it will use this value instead.

```
void Start () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.defaultWrapMode = WrapMode.Once;
}
```

Public Functions

```
void OnGUI(){
    if (GUILayout.Button("Invert Speed")) mecanimControl.SetSpeed(-mecanimControl.GetSpeed());
    if (GUILayout.Button("Mirror "+ mirror)) {
        mirror = !mirror;
        mecanimControl.SetMirror(mirror);
    }

    GUILayout.Space(10);

    foreach(AnimationData animationData in mecanimControl.animations){
        if (GUILayout.Button(animationData.clipName)){
            mecanimControl.Play(animationData, mirror);
        }
    }
}
```

Index:

- [AddClip](#)
- [CrossFade](#)
- [GetAnimationData](#)
- [GetCurrentAnimationData](#)
- [GetCurrentClipName](#)
- [GetCurrentClipPlayCount](#)
- [GetCurrentClipPosition](#)
- [GetMirror](#)
- [GetSpeed](#)
- [IsPlaying](#)
- [Pause](#)
- [Play](#)
- [Remove Clip](#)
- [Restore Speed](#)
- [Rewind](#)
- [SetCurrentClipPosition](#)
- [SetDefaultClip](#)
- [SetMirror](#)

- SetSpeed
 - SetWrapMode
 - Stop
-

addclip AddClip

```
void AddClip(AnimationClip clip, string name);
void AddClip(AnimationClip clip, string name, float speed, WrapMode wrapMode);
```

Description: Adds a clip to *animations* with the name *newName*.

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {
    public AnimationClip walkClip;
    void Start () {
        mecanimControl = game0bject.GetComponent<MecanimControl>();
        mecanimControl.AddClip(walkClip, "walk");
    }
}
```

crossfade CrossFade

```
void CrossFade(string clipName, float blendingTime);
void CrossFade(string clipName, float blendingTime, float normalizedTime, bool mirror);
```

Description: Fades the animation with name *clipName* in over a period of *blendingTime* seconds as it fades other animations out.

You can also set *normalizedTime* to set where, in its timeline, you want the animation to start (0-1) as well as toggle *mirror*.

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {
    public AnimationClip walkClip;
    void Start () {
        mecanimControl = game0bject.GetComponent<MecanimControl>();
        mecanimControl.CrossFade("walk", .2f);
    }
}
```

getanimationdata GetAnimationData

```
AnimationData GetAnimationData(AnimationClip clip);
AnimationData GetAnimationData(string clipName);
```

Description: Returns the AnimationData related to that animation name or clip.

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {
    public AnimationClip walkClip;
    void Start () {
        mecanimControl = game0bject.GetComponent<MecanimControl>();
        mecanimControl.AddClip(walkClip, "walk");
        Debug("Animation Name:" +
mecanimControl.GetAnimationData(walkClip).clipName);
    }
}
```

getcurrentanimationdata **GetCurrentAnimationData**

AnimationData GetCurrentAnimationData();

Description: Get the AnimationData currently running.

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {
    public AnimationClip walkClip;
    void Start () {
        mecanimControl = game0bject.GetComponent<MecanimControl>();
        Debug("Animation Name:" +
mecanimControl.GetCurrentAnimationData().clipName);
    }
}
```

getcurrentclipname **GetCurrentClipName**

string GetCurrentClipName();

Description: Get the name of the current running clip.

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {
    void Start () {
        mecanimControl = game0bject.GetComponent<MecanimControl>();
        Debug("Animation Name:" + mecanimControl.GetCurrentClipName());
    }
}
```

getcurrentclipposition GetCurrentClipPosition

```
float GetCurrentClipPosition();
```

Description: Get the *normalized time* of the current running clip. (0-1)

```
void CheckProgress() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    Debug("Animation Progress (%):" + mecanimControl.GetCurrentClipPosition()
* 100);
}
```

getcurrentclipplaycount GetCurrentClipPlayCount

```
int GetCurrentClipPlayCount();
```

Description: Get the number of times the current clip has played. Only works if the animation's WrapMode is set to either *WrapMode.Loop* or *WrapMode.PingPong*

```
void CheckProgress() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    Debug("Times Played:" + mecanimControl.GetCurrentClipPlayCount());
}
```

getmirror GetMirror

```
bool GetMirror();
```

Description: Get the current **mirror** state of the *emulated runtime animator*.

```
void FaceLeft () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    if (!mecanimControl.GetMirror()) mecanimControl.setMirror(true);
}
```

getspeed GetSpeed

```
float GetSpeed();
```

```
float GetSpeed(AnimationClip clip);
```

```
float GetSpeed(string clipName);
```

Description: Get the speed value set for *animationClip/clipName*.

no parameters - Get the speed the animator is running based on the current running animation.

```
void SlowDown() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    if (mecanimControl.GetSpeed() > 1) mecanimControl.SetSpeed(1);
}
```

isplaying IsPlaying

```
bool IsPlaying(string clipName);
bool IsPlaying(AnimationClip clip);
bool IsPlaying(AnimationData animationData);
```

Description: Returns true if *clipName*, *clip* or *animationData* is playing.

```
void Example() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    if (mecanimControl.isPlaying("walk")) Debug.Log("Walk is playing");
}
```

pause Pause

```
void Pause();
```

Description: Pauses the animator component.

```
void Example() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.Pause();
}
```

play Play

```
void Play();
void Play(string clipName);
void Play(AnimationClip clip);
void Play(AnimationData animationData);
void Play(string clipName, bool mirror);
void Play(AnimationClip clip, bool mirror);
void Play(AnimationData animationData, bool mirror);
void Play(string clipName, float blendingTime, float normalizedTime, bool mirror);
void Play(AnimationClip clip, float blendingTime, float normalizedTime, bool mirror);
```

Description: Plays animation. *Play* can be used in several ways, including blending. If no blending is set, *Play* will try using the default blending value. If blending is set to -1, the animation will be played abruptly without any blending.

If the animation is not set to be looping and *alwaysPlay* is toggled off it will be stopped after playing.

If no parameters are used, *Play* can be used as a follow up to *Pause*. It restores the speed of the Animator to the current animation speed value.

Normalized Time lets you start the animation from a predefined position in the animation timeline (0-1).

```
void Example() {
```

```

        mecanimControl = game0bject.GetComponent<MecanimControl>();
        mecanimControl.Play();
    }

void Example() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.Play("walk", .2f, 0, true);
}

```

removeclip RemoveClip

```
void RemoveClip(string clipName);
void RemoveClip(AnimationClip clip);
```

Description: Removes the *AnimationData* from *animations* related to *clipName/clip*.

```

void RemoveAnimation(string animation) {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.RemoveClip(animation);
}

```

restorespeed RestoreSpeed

```
void RestoreSpeed();
```

Description: Restores the speed of the animator component to the original value from the current animation being played.

```

using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {

    private MecanimControl mecanimControl;

    void SlowMo(string animation) {
        mecanimControl.SetSpeed(.01f);
        Invoke("Restore", 2);
    }

    void Restore() {
        mecanimControl.RestoreSpeed();
    }
}

```

rewind Rewind

```
void Rewind();
```

Description: Inverts the speed of the animator component.

```
void Example() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.Rewind();
}
```

setcurrentcliposition SetCurrentClipPosition

```
void SetCurrentClipPosition(float normalizedTime);
void SetCurrentClipPosition(float normalizedTime, bool pause);
```

Description: Set the position in the timeline of the current playing clip (0-1). If pause is toggled on, the animation will be paused afterwards.

```
void Example() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.SetCurrentClipPosition(.3f, true);
}
```

setdefaultclip SetDefaultClip

```
void SetDefaultClip(AnimationClip clip, string name, float speed, WrapMode wrapMode);
```

Description: Sets the *defaultclip* through code (instead of the UI).

```
using UnityEngine;
using System.Collections;

public class Example : MonoBehaviour {

    private MecanimControl mecanimControl;
    private AnimationClip idle;

    void Start() {
        mecanimControl.SetDefaultClip(idle, "Idle", 1, WrapMode.Loop);
    }
}
```

setmirror SetMirror

```
void SetMirror(bool mirror);
void SetMirror(bool mirror, float blendingTime);
```

Description: When toggled on, every animation will be played with the *mirror* tag toggled on.

```
void FaceLeft () {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
```

```

    if (!mecanimControl.GetMirror()) mecanimControl.setMirror(true);
}

```

setspeed SetSpeed

```

void SetSpeed(float speed);
void SetSpeed(string clipName, float speed);
void SetSpeed(AnimationClip clip, float speed);

```

Description: Change the speed value of the Animator component or AnimationData based on *clipName/clip*.

If no parameters are used, SetSpeed will change the global speed from the Animator component.

```

void SlowDown() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    if (mecanimControl.GetSpeed() > 1) mecanimControl.SetSpeed(1);
}

```

setwrapmode SetWrapMode

```

void SetWrapMode(WrapMode wrapMode);
void SetWrapMode(AnimationData animationData, WrapMode wrapMode);
void SetWrapMode(AnimationClip clip, WrapMode wrapMode);
void SetWrapMode(string clipName, WrapMode wrapMode);

```

Description: Sets the Wrap Mode of an AnimationData based on *clipName/clip*.

If no parameters are used, SetWrapMode will change *defaultWrapMode*.

```

void ClampCurrentClip() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.SetWrapMode(mecanimControl.GetCurrentAnimationData,
    WrapMode.Clamp);
}

```

stop Stop

```

void Stop();

```

Description: Stops any animation from playing and starts playing the default animation.

```

void PlayDefaultAnimation() {
    mecanimControl = game0bject.GetComponent<MecanimControl>();
    mecanimControl.Stop();
}

```

Public Events

```
Animation Data
Current Clip Name: Default
Wrap Mode: Loop
Normalized Time: 0.1442214
Blend Weight: 1
Current Speed: 1
Times Played: 1
```

Index:

- [OnAnimationBegin](#)
 - [OnAnimationEnd](#)
 - [OnAnimationLoop](#)
-

onanimationbegin OnAnimationBegin
void *AnimEvent(AnimationData animationData);*

Description: Fires when an animation begins.

```
void OnAnimationBegin(AnimationData animData) {
    if (animData.clipName == "walk") Debug.Log("character is walking");
}
```

onanimationend OnAnimationEnd
void *AnimEvent(AnimationData animationData);*

Description: Fires when an animation ends.

```
void OnAnimationEnd(AnimationData animData) {
    if (animData.clipName == "walk") Debug.Log("character has stopped
walking");
}
```

onanimationloop OnAnimationLoop
void *AnimEvent(AnimationData animationData);*

Description: Fires when an animation loops. This is only triggered if the animation WrapMode is set to either *WrapMode.Loop* or *WrapMode.PingPong*

```
void OnAnimationLoop(AnimationData animData) {
```

```
if (animData.clipName == "walk")
    Debug.Log("walking animation has looped "+ animData.timesPlayed + "
times.");
}
```

From:

<http://ufe3d.com/> - **Universal Fighting Engine**

Permanent link:

<http://ufe3d.com/doku.php/mecanimcontrol?rev=1394228064>

Last update: **2014/03/07 16:34**

